

□ □ □ □ □	2
□ □ □ □ □ □ □ □ □	2
□ □ □ □ □ □ □	4
□ □ □ □ □	6
□ □ □ □	10
□ □ □	14



- 2

■ 0000000000000000 (FDD000)

000000000000000000000000

■ 00000000000000000000

000000000000000000000000

■ 0000000000000000 (FDD)

0000000000000000

■ 00000000

0000000000000000

■ 00

00000000000000000000 Windows 000000000000

■ 00000000000000000000

0000000000

■ 00000000000000000000 (USB00000)

→ USB 00000

■ 0000000000

000000000000000000

■ 0000000000

000000000000000000

00 00 00 00 00 00 00

■ PC 00000000

PC 000000000000 PC 000000000000000000000000

■ P 0000

000

■ LAN 000000000000

00000000000000000000000000 LAN 0000000000
00

■ 0000000000

000000000000000000000000

■ 00000000

000
0000000000000000

■ 00000000000000000000

0000000000000000000000 (00000000 (TA) 0
0) 000000000000000000000000

■ 0000000000


0000000000000000000000000000

☐ CD-ROM ☐ CD-R/RW ☐ DVD-ROM

[illegible][illegible]

Frequency	Percentage
Never	0%
Rarely	0%
Sometimes	0%
Often	0%
Every day	100%

[illegible][illegible][illegible]





■ 2HD

3 FD

A

ACPI

■ APM

B

BIOS

■ BIOS □ □ □ □ □ □

C

■ Cel er on

■ CPU

10

D

DMA

Direct Memory Access □ □ □ CPU □ □ □ □ □ □ □ □ □ □ (□ □ □ □) □ □
□ □ □ (□ □ □ □ □ □ □ □ □) □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □

F

FDI SK

MS-DOS

G

■ GB

□ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ 1GB □ □ 1000MB □

1

■ 1C

Integrated Circuit □□□□□□□□□□□□□□□□□□
□□□□□□□□□□□□

■ IDE

☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ CD-ROM ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐

☐ ☐ ☐ ☐ ☐

1/0

□ □

■ IP

■ 1 RQ

```

00000000 SCSI 000000000000000000000000 CPU
000000000000000000000000

```

L

- LAN

□ □ □ □ □ □ □ □ □ □ □ □ (Local Area Network) □ □ □ □ □ □ □ □ □ □
□ □

■ LAN □ □ □ □ □ □ □ □

LAN

■ Low Battery

Low Battery

M

■ MB

1MB = 1000KB

■ MS-DOS

Microsoft Disk Operating System

■ MS-DOS 1.1

MS-DOS (Microsoft Disk Operating System) 1.1 MS-DOS 1.1

■ MS-DOS 2.0

MS-DOS 2.0

O

■ OS

Operating System
Windows
OS

P

■ PG

■ PDF

Portable Document Format
PDF

■ Pentium

CPU

■ PIO

Program Input/Output IDE

S

■ Save to Disk/Save to File

HDD

■ SCSI

■ SSE

Intel Streaming SIMD (Single Instruction Multiple Data) Extensions
Driver
Intel Pentium III processor Intel Celeron processor
Windows

■ SuperDisk

120MB

T

■ TFT

Thin Film Transistor
1

U

■ U-D

SuperDisk 120MB

■ USB ()

W

■ Windows

■ Windows 2000

Microsoft® Windows® 2000 Professional Operating System
Microsoft® Windows® 2000 Server Operating System

■ Windows 98

Microsoft® Windows® 98 Operating System

■ Windows Me


Microsoft® Windows® Millennium Edition

■ Windows NT

Microsoft® Windows NT® Workstation Operating System
Microsoft® Windows NT® Server Network Operating System

■ Windows XP

Microsoft® Windows® XP Home Edition Operating System
Microsoft® Windows® XP Professional Operating System
Microsoft® Windows® XP 64 Bit Operating System



ENERGY STAR
 Microsoft MS-DOS Windows Windows NT Microsoft Corp.
 Pentium Intel Corporation
 Celeron Intel Corporation
 2003 3

2003 3

2003 3

2003 3

2003 3



Hitachi

Hitachi

243-0435 810

Copyright © Hitachi, Ltd. 2003. All rights reserved.

V01D0000